

63-3-6

AFCRL-63-115

QUANTUM ELECTRONICS LABORATORY
CALIFORNIA INSTITUTE OF TECHNOLOGY
PASADENA, CALIFORNIA

SCIENTIFIC REPORT NO. 3


MULTI-REFLECTOR OPTICAL RESONATORS

Peter O. Clark

406323

CONTRACT NO. AF 19(604)-8052
ELECTRONICS RESEARCH DIRECTORATE
AIR FORCE CAMBRIDGE RESEARCH LABORATORIES
OFFICE OF AEROSPACE RESEARCH
UNITED STATES AIR FORCE
BEDFORD, MASSACHUSETTS

10 APRIL 1963



AFCRL-63-115

CALIFORNIA INSTITUTE OF TECHNOLOGY
Quantum Electronics Laboratory

MULTI-REFLECTOR OPTICAL RESONATORS

Peter O. Clark

Contract No. AF19(604)-8052

Project 4600
Task 460006

Scientific Report No. 3

10 April 1963

Prepared for

Air Force Cambridge Research Laboratories
Office of Aerospace Research
United States Air Force
Bedford, Massachusetts

Requests for additional copies by Agencies of the Department of Defense, their contractors, and other Government agencies should be directed to

Defense Documentation Center (DDC)
Arlington Hall Station
Arlington 12, Virginia

Department of Defense contractors must be established for ASTIA services or have their "need-to-know" certified by the cognizant military agency of their project or contract.

All other persons and organizations should apply to the

U. S. Department of Commerce
Office of Technical Services
Washington 25, D. C.

Multi-Reflector Optical Resonators

Optical masers with four-mirror cavities have been proposed as gyroscopes and sensitive interferometers¹. A working model of a ring laser rotation rate sensor using four lasers in a four-mirror square cavity has recently been reported². This note describes an analysis based on geometrical optics which determines the conditions for stable operation of such devices. The same procedure may also be applied to the investigation of mode selection in toroidal ruby lasers³ by periodic variations in the reflectivity of the toroid surface.

Investigation of optical resonators other than the two-mirror resonator with plane⁴ or spherical⁵ reflectors, has shown that the geometrical optics of cavities with more than two reflectors can be treated in a manner similar to that of Pierce⁶ and Boyd and Kogelnik⁷. As an example, consider a four-mirror system (see Fig. 1) which uses spherical reflectors 1 and 1' with radius of curvature b_1 and reflectors 2 and 2' with radius of curvature b_2 .

The symmetry of the resonator allows the path of a ray to be described by a set of four difference equations

$$s_n - r_n = r'_n \left[t_2 - r_n \tan\left(\frac{\pi}{4} - \delta\right) - s_n \tan\left(\frac{\pi}{4} + \delta\right) \right] \quad (1a)$$

$$r_{n+1} - s_n = s'_n \left[t_1 + s_n \tan\left(\frac{\pi}{4} + \delta\right) + r_{n+1} \tan\left(\frac{\pi}{4} - \delta\right) \right] \quad (1b)$$

$$r'_n - s'_n = \frac{2s_n}{b_2 \cos\left(\frac{\pi}{4} + \delta\right)} \quad (1c)$$

$$s'_n - r'_{n+1} = \frac{2r_{n+1}}{b_1 \cos\left(\frac{\pi}{4} - \delta\right)} \quad (1d)$$

r_n refers to the height of the ray at mirror 1 or l' measured perpendicular to the axis, and r'_n refers to the slope of the ray reflected from mirror 1 or l' measured relative to the axis. s_n and s'_n refer to the corresponding quantities measured at mirror 2 or l'' . The axis of the system is defined as the line joining the centers of consecutive mirrors, and the standard sign conventions of geometrical optics have been used⁸. It should be noted that in order to describe a complete circuit about the resonator the equations must be applied twice.

Exact solutions to the simultaneous nonlinear equations (la) to (ld) have not been obtained. However, since $\ell_1, \ell_2 \gg r_n \tan(\alpha - \delta)$, $s_n \tan(\alpha + \delta)$, a good approximation may be obtained by neglecting these terms in equations (la) and (lb).

Elimination of three variables leads directly to a linear, homogeneous difference equation for the approximate solution $r_n^{(o)}$.

$$r_{n+2}^{(o)} - \ell_1 \ell_2 \left\{ \left[\frac{1}{\ell_1} + \frac{1}{\ell_2} - \frac{2}{b_1 \cos(\frac{\pi}{4} - \delta)} \right] \left[\frac{1}{\ell_1} + \frac{1}{\ell_2} - \frac{2}{b_2 \cos(\frac{\pi}{4} + \delta)} \right] - \left(\frac{1}{\ell_1^2} + \frac{1}{\ell_2^2} \right) \right\} r_{n+1}^{(o)} + r_n^{(o)} = 0 . \quad (2)$$

An identical equation for $s_n^{(o)}$ could also be written.
 $r_n^{(o)}$ will remain finite and have the form⁹

$$(A \cos n\theta + B \sin n\theta) \quad (3)$$

provided that

$$0 \leq \left[1 - \frac{\ell_1}{b_1 \cos(\frac{\pi}{4} - \delta)} \right] \left[1 - \frac{\ell_2}{b_2 \cos(\frac{\pi}{4} + \delta)} \right] + \left[1 - \frac{\ell_1}{b_2 \cos(\frac{\pi}{4} + \delta)} \right] \left[1 - \frac{\ell_2}{b_1 \cos(\frac{\pi}{4} - \delta)} \right] \leq 2 \quad (4)$$

A graphical representation of the stability condition (equation 4) can be easily obtained in two cases:

(a) $\ell_1 = \ell_2$

For the rhomboidal resonator equation (4) reduces to

$$0 \leq \left[1 - \frac{\ell}{b_1 \cos(\frac{\pi}{4} - \delta)} \right] \left[1 - \frac{\ell}{b_2 \cos(\frac{\pi}{4} + \delta)} \right] \leq 1 . \quad (5)$$

The stability condition for the rhomboidal resonator is illustrated in Fig. 2(a).

(b) $b_1 = b_2$ and $\delta = 0$

For the rectangular resonator equation (4) reduces to

$$0 \leq \left[1 - \frac{\sqrt{2} \ell_1}{b} \right] \left[1 - \frac{\sqrt{2} \ell_2}{b} \right] \leq 1 . \quad (6)$$

Fig. 2(b) illustrates the conditions for stable operation of the rectangular cavity. In Figs. 2(a) and 2(b) the coordinates have been chosen to facilitate comparison with the stability conditions for the two-mirror cavity investigated by Boyd and Kogelnik⁷.

References

1. Rosenthal, A.H., J.Opt.Soc.Am. 52, 1143-1148 (1962).
2. Macek, W.M. and Davis, D.T.M., App.Phys.Letters 2, 67-68 (1963).
3. Ross, D., Proc. IEEE (Correspondence) 51, 468 (1963).
4. Fox, A.G. and Li, Tingye, BSTJ 40, 453-488 (1961).
5. Boyd, G.D. and Gordon, J.P., BSTJ 40, 489-508 (1961).
6. Pierce, J.R., Theory and Design of Electron Beams, D. Van Nostrand and Co., New York 1954.
7. Boyd, G.D. and Kogelnik, H., BSTJ 41, 1347-1369 (1962).
8. Morgan, J., Introduction to Geometrical and Physical Optics, McGraw-Hill Book Co., New York 1953.
9. Hildebrand, F.B., Methods of Applied Mathematics, Prentice-Hall Inc., 1958.




Fig. 1. Four-mirror optical resonator




Fig. 2(a). High and low loss regions for the rhomboidal resonator




Fig. 2(b). High and low loss regions for the rectangular resonator

DISTRIBUTION LIST
Contract AF19 (604)-8052

APGC (PGAPI) (Code AF 29) Eglin Air Force Base Florida	1	RADC (RAYLD) (Code AF 124) Attn: Documentation Library Griffiss AFB, New York	1	ASC (ASAPRD--Dist) Code AF43 Wright-Patterson AFB, Ohio	1
Hq. USAF (AFOAC-S/E)(Code AF 166) Communications-Electronics Dir. Washington 25, D. C.	1	WADD (WLRS), Mr. Fortune) Wright-Patterson AFB, Ohio (Code AF 63)	1	Director, Electronics Div. Air Technical Intelligence Attn: AFCTIN-4E1, Col. Gilbert Wright-Patterson AFB, Ohio	1
Director, Evans Signal Laboratory 1 Belmar, New Jersey ATTN: Mr. O.C. Woodyard	1	Commanding General (Code AR 5) USASRDL Ft. Monmouth, New Jersey ATTN: Tech. Doc. Center SIGMA/SL-ADT	1	Technical Information Office European Office, Aerospace Res. Shell Bldg., 47 Canterbury Brussels, Belgium	1
Massachusetts Inst. of Technology 1 Signal Corps Liaison Officer Cambridge 39, Mass. ATTN: A.D.Bedrosian, Rm.26-131	1	Commanding General USASRDL Fort Monmouth, New Jersey Attn: SIGFM/EL-AT	1	Department of the Army Office of Chief Signal Officer Washington 25, D. C. Attn: SIGRD-ka-2	1
Office of Chief Signal Officer 1 Engineering and Tech. Div. Washington 25, D. C. Attn: SIGNET-5	1	ASTIA (TIPRA) Arlington Hall Station Arlington 18, Virginia	10	National Bureau of Standards U.S. Department of Commerce Washington 25, D. C. Attn: Gustave Shapiro, Chief Eng. Electronics Sect.	1
Library 2 National Bureau of Standards Boulder Laboratories Boulder, Colorado	2	National Bureau of Standards U.S. Department of Commerce Washington 25, D. C. Attn: Mr. A.G. McFieh		AFCRRL, Office of Aerospace Res. 2 Attn: Contract Files L.G. Hanscom Field Bedford, Massachusetts	
AFCRL, Office of Aerospace Res. 10 CRIPAA-Stop 39 (Code M 6) L.G. Hanscom Field Bedford, Massachusetts	10	Defence Research Member Canadian Joint Staff 2450 Massachusetts Ave., NW Washington 8, D. C.	1	L.G. Hanscom Field Bedford, Massachusetts	
AFCRL, Office of Aerospace Res. 3 Attn: Carlyle J. Slatton L. G. Hanscom Field Bedford, Massachusetts	3	Hq. ESD (RNDW, Maj. J.J.Hobson) L. G. Hanscom Field Bedford, Massachusetts	1	Electronic Systems Div.(AFSC) Technical Information Div. L.G. Hanscom Field Bedford, Massachusetts (ESAT)	1
Hq. AFCRL, OAR (CRIP,J.R.Marple) 1 L.G. Hanscom Field Bedford, Massachusetts	1	National Aeronautics and Sp. Adm. Attn: Antenna Systems Branch Goddard Space Flight Center Greenbelt, Maryland	1	Director U.S. Naval Research Laboratory Washington 25, D. C. Attn: Code 2027	1
Dr.J.I.Bohnert, Code 5210 U.S. Naval Research Laboratory Washington 25, D. C.	1	Office of Naval Research Branch Office, London Navy 100, Box 39 F.P.O. New York, New York	6	Dr. George Parrent Tech Ops, Inc. Burlington, Massachusetts	1
Dr. William Brorow Diffraction Limited Bedford, Massachusetts	1	Dr. Edward O'Neill Department of Physics Boston University Boston, Massachusetts	1	AFSC Scientific and Technical Liaison Office c/o Department of the Navy Room 2305, Munitions Bldg. Washington 25, D. C.	1
Bell Telephone Laboratories Murray Hill New Jersey	1	Convair, Div. of Gen.Dynamics 3165 Pacific Highway San Diego 12, California Attn: Mrs. Dora B. Burke, Lib.	1	ITT Federal Laboratories Technical Library 500 Washington Avenue Nutley 10, New Jersey	1
Bendix Radio Division Bendix Aviation Corporation E. Joppa Road Towson 4, Maryland Attn: Dr. D.M. Allison Jr.	1	Hughes Aircraft Company Antenna Department Building 12, MS 2714 Culver City, California Attn: Dr. W. H. Kummer	1	General Electric Company Electronics Park Syracuse, New York Attn: Documents Library	1
General Precision Laboratory 63 Bedford Road Pleasantville, New York Attn: Librarian	1	ITT Laboratories 3700 East Pontiac Street Fort Wayne 1, Indiana Attn: Technical Library	1	Hughes Aircraft Company Florence and Teale Streets Culver City, California Attn: Louis L. Bailin, Mgr. Antenna Department	1
Melpar, Inc. 3000 Arlington Boulevard Falls Church, Virginia Attn: Eng. Technical Library	1	The Mitre Corporation 244 Wood Street Lexington 73, Massachusetts Attn: Mrs. Claflin, Librarian	1	Motorola, Inc. 8201 East McDowell Road Phoenix, Arizona Attn: Dr. Thomas E. Tice	1
Microwave Associates, Inc. South Avenue Burlington, Massachusetts	1	North American Aviation, Inc Los Angeles International Airport Los Angeles 45, California Attn: Eng. Technical File	1	Philco Corporation Research Division Union Meeting Pond Blue Bell, Pennsylvania Attn: Research Librarian	1
National Research Council Radio and E.E. Division Ottawa, Ontario, Canada Attn: Dr. G. A. Miller, Head Microwave Section	1	University of Toronto Dept. of Electrical Eng. Toronto, Canada Attn: Prof. G. Sinclair	1	University of Wisconsin Dept. of Electrical Eng. Madison, Wisconsin Attn: Dr. Scheibe	1
Technical University Oestervoldsgade 100 Copenhagen, Denmark Attn: Prof. H. L. Knudsen	1				

Distribution List, Continued

RCA Laboratories David Sarnoff Research Center Princeton, New Jersey Attn: Miss F. Cloak, Librarian	1	Radio Corporation of America Missile Control and Elec. Div. Bedford Street Burlington, Massachusetts Attn: Librarian	1	Radio Corp. of America West Coast Division 8500 Balboa Boulevard Van Nuys, California Attn: L. R. Rund, Librarian	1
Director, USAF Project RAND Via: A.F. Liaison Office The Rand Corporation 1700 Main Street Santa Monica, California	1	The Rand Corporation 1700 Main Street Santa Monica, California Attn: Technical Library	1	Rantec Corporation 23999 Ventura Boulevard Calabasas, California Attn: Grace Keener	1
Raytheon Company Wayland Laboratory Wayland, Massachusetts Attn: Alice G. Anderson, Lib.	1	Document Acquisitions Library Space Technology Labs, Inc. P.O. Box 95001 Los Angeles 45, California	1	Stanford Research Institute Documents Center Menlo Park, California Attn: Acquisitions	1
Sylvania Electric Products Inc. 100 First Avenue Waltham 54, Massachusetts Attn: C.A. Thornhill, Librarian	1	TRG, Inc. 400 Border Street East Boston, Massachusetts Attn: Dr. Alan F. Key	1	Westinghouse Electric Corp. Electronics Division Library Friendship Int'l Airport 1897 Baltimore 3, Maryland	1
Brown University Department of Electrical Eng. Providence, Rhode Island Attn: Dr. C.M. Angulo	1	Space Sciences Laboratory Leuschner Observatory University of California Berkeley 4, California Attn: Dr. Samuel Silver	1	University of California Electronics Research Lab. 332 Cory Hall, Berkeley 4, California Attn: J. R. Whinnery	1
University of Southern California University Park Los Angeles 7, California Attn: Dr. Raymond L. Chuan	1	Case Institute of Technology Electrical Engineering Dept. 10900 Euclid Avenue Cleveland, Ohio Attn: Prof. Robert Plonsey	1	Cornell University School of Electrical Eng. Ithaca, New York Attn: Prof. G.C. Dalmat	1
Columbia University Dept. of Electrical Engineering Morningside Heights New York, New York Attn: Dr. Schlesinger	1	University of Southern Calif. University Park Los Angeles 7, California Attn: Z.A. Kaprielian, EE Dept.	1	Harvard University Technical Reports Collection Gordon McKay Library 303 Pierce Hall, Oxford St. Cambridge 38, Massachusetts	1
University of Florida Dept. of Electrical Engineering Gainesville, Florida Attn: Prof. M.H. Latour, Library	1	Georgia Technology Research Inst. Engineering Experiment Station 722 Cherry Street, NW Atlanta, Georgia Attn: Mrs. Crosland, Librarian	1	University of Illinois College of Engineering Urbana, Illinois Attn: Dr. P. E. Mayes Dept. of Elec. Eng.	1
Illinois Inst. of Technology Technology Center Dept. of Electrical Engineering Chicago 16, Illinois Attn: Paul C. Yuan Electronics Res. Lab.	1	Illinois Institute of Technology 3301 S. Dearborn Street Chicago 16, Illinois Attn: Dr. George I. Cohn	1	The Johns Hopkins University Applied Physics Laboratory 3621 Georgia Avenue Silver Spring, Maryland Attn: Mr. George L. Sielstad	1
University of Kansas Electrical Engineering Dept. Lawrence, Kansas Attn: Dr. H. Unz	1	Lowell Technological Institute Research Foundation P.O. Box 709 Lowell, Massachusetts Attn: Dr. C. R. Mingins	1	McGill University Dept. of Electrical Eng. Montreal, Canada Attn: Dr. T. Pavlasek	1
Massachusetts Inst. of Technology Research Lab. of Electronics Bldg. 26, Room 327 Cambridge 39, Massachusetts Attn: John H. Hewitt	1	Massachusetts Inst. of Technology Lincoln Laboratory P.O. Box 73 Lexington 73, Massachusetts Attn: Mary A. Granese, Librarian	1	University of Michigan Radiation Laboratory 912 N. Main Street Ann Arbor, Michigan Attn: Mr. Ralph E. Hiatt	1
University of Michigan Engineering Research Institute Willow Run Laboratories Ypsilanti, Michigan Attn: Librarian	1	University of Minnesota Minneapolis 14, Minnesota Attn: R. H. Stumm, Library	1	Physical Science Laboratory New Mexico State University University Park, New Mexico Attn: Mr. H.W. Haas	1
Northwestern University Microwave Laboratories Evanston, Illinois Attn: R. E. Bean	1	Antenna Laboratory Ohio State University 2024 Neil Avenue Columbus 10, Ohio Attn: Reports Librarian	1	University of Oklahoma Research Institute Norman, Oklahoma Attn: Prof. C. L. Farrar	1
Polytechnic Institute Brooklyn Microwave Research Institute 55 Johnson St., Brooklyn, N.Y. Attn: Dr. Arthur A. Oliver	1	University of Pennsylvania Inst. of Cooperative Research Philadelphia, Pennsylvania Attn: Dept. of Electrical Eng.	1	Pennsylvania State University Dept. of Electrical Eng. University Park, Pennsylvania	1
Polytechnic Institute Brooklyn Microwave Research Institute 55 Johnson St., Brooklyn, N.Y. Attn: Mr. A.E. Laemmel	1	Library W.W. Hansen Lab. of Physics Stanford University Stanford, California	1	Syracuse University Res. Inst. Collendale Campus Syracuse 10, New York Attn: Dr. C. S. Grove, Jr. Director, Engineering Res.	1
		University of Washington Seattle 5, Washington Attn: D.K. Reynolds Electrical Eng. Dept.	1	University of Texas E.E. Research Laboratory Austin 12, Texas Attn: John R. Gerhardt	1